

In accordance with Regulation (EC) 1907/2006 (REACH), Annex II-Europe

#### 1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

#### 1.1 Product identifier:

Substance name: CHINOX® S4P

Other name: CN S4P

REACH Registration No.: Not available

Recommended use of the chemical Antioxidant for the polymer industry

and restrictions on use: Industrial;

#### 1.2 Manufacturer or supplier information

Company name: Double Bond Chemical Ind. Co., Ltd.

4F, 959, JUNGJENG RD. JUNGHE DISTRICT,

NEW TAIPEI CITY, TAIWAN, R.O.C

Emergency contact person: Shari Huang

**Emergency phone/ fax number:** +886-2-8228-1168/ +886-2-8228-1818

Emergency contact Email: techdata@dbc.com.tw

#### 2. HAZARDS IDENTIFICATION

#### 2.1 Classification of the substance or mixture:

#### 2.1.1 Classification according to Regulation (EC) No. 1272/2008 [CLP]

Not classified according to Regulation (EC) No. 1272/2008 [CLP]

### 2.1.2 Additional information

No other information.

# 2.2 Label elements:

Symbols: No symbol

Signal word: No Signal word

**Hazard substance:** Not classified as hazard substance.

Hazard statement: No Hazard statements.

**Precautionary statements:** No Precautionary statements.

#### 2.3 Other hazards:

None to our knowledge.

#### 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical name	CAS No.	EC No.	Weight % content	Classification according to Regulation (EC) No 1272/2008
2,2-bis[[3-(dodecylthio)-1-oxopr opoxy]methyl]propane-1,3-diyl bis[3-(dodecylthio)propionate]	29598-76-3	249-720-9	99% min.	Not classified as hazard substance.

## 4. FIRST-AID MEASURES

Product name: CHINOX® S4P

Date of issue: Sep. 16, 2022 Version: 2 Page 1 of 7



In accordance with Regulation (EC) 1907/2006 (REACH), Annex II-Europe

Eye contact:

Immediately wash eyes with plenty of running water for at least 15 minu8tes minimum. Remove contact lenses after the initial 1-2 minutes and continue flushing for several additional minutes. Occasionally lift the upper and lower eyelids. Seek medical advice if irritation develops and persists.

Skin contact:

Wash affected skin area with plenty of water and soap for at least 15 minutes while removing contaminated clothing and shoes. Seek medical advice if irritation develops and persists.

Ingestion:

Seek medical advice if the victim feels unwell. Wash out mouth with plenty of water and give 2-4 cupful of water or milk to drink. Never give anything by mouth to an unconscious person. Do not induce vomiting.

Inhalation:

Remove the victim from exposure into fresh air if adverse effects (e.g. dizziness, drowsiness or respiratory irritation) occur. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Seek medical advice if cough or other symptoms appear.

The most important symptoms and hazardous effects:

See Section 11 for more detailed information on effects and symptoms.

#### 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media:

Water fog or fine spray, dry chemical fire, carbon dioxide extinguishers and foam; alcohol resistant foam (ACT type) are preferred; general purpose synthetic foams (including AFFF) or protein foams may function but will be less effective.

Unsuitable extinguishing media:

Direct water stream.

Exposure hazards (combustion products):

During a fire, smoke may contain the original material in addition to combustion products of varying composition which may be toxic and/ or irritating. Combustion products may include and are not limited to: Carbon oxides.

Unusual fire and explosion hazards:

Container may rupture from gas generation in a fire situation. Violent steam generation or eruption may occur upon application of direct water stream to hot liquids. Vapours are heavier than air and may travel a long distance and accumulate in low lying areas. Ignition and/or flash back may occur.

Special protective equipment for firefighters:

Wear positive-pressure self-contained breathing apparatus (SCBA) and protective firefighting clothing (includes firefighting helmet, coat, trousers, boots, and gloves). If protective equipment is not available or not used, fight fire from a protected location or safe distance.

Special methods/instructions:

Keep people away. Isolate fire and deny unnecessary entry. Stay up wind. Keep out of low areas where gases (fumes) can accumulate. Water may not be effective in extinguishing fire. Use water spray to cool fire exposed containers and fire affected zone until fire is out and danger of reignition has passed. Fight fire from protected location or safe distance. Immediately withdraw all personnel from the area in case of rising sound from venting safety device or discoloration of the container. Burning liquids may be extinguished by dilution with water. Do not use direct water stream. May spread fire. Eliminate ignition sources. Move container from

Product name: CHINOX® S4P Date of issue: Sep. 16, 2022

Version: 2 Page 2 of 7



In accordance with Regulation (EC) 1907/2006 (REACH), Annex II-Europe

fire area if this is possible without hazard. Burning liquids may be moved by flushing with water to protect personnel and minimize property damage.

#### 6. ACCIDENTAL RELEASE MEASURES

during cleaning. Avoid contact with eyes and skin. Avoid inhalation.

Personal precautions:

No smoking in the area. Eliminate all sources of ignition in vicinity

of spill or released vapour to avoid fire or explosion. Check area

Wear appropriate personal protective equipment (see section 8)

with combustible gas detector before re-entering area.

Prevent the material from entering surface water or sanitary sewer system. Do not discharge directly to a water source. If accidental

spillage or washings enter drains or watercourses contact local

Environment Agency.

Pick up with absorbent material. Sweep up absorbed substance, place in suitable and properly labelled waste containers for later disposal. Residual trace can be wiped away. Prevent entry into sewers and waterways. For large spills: Contain spilled material if possible. Ground and bond all containers and handling equipment.

Pump with explosion-proof equipment. If available, use foam to

smother or suppress.

Methods for cleaning up:

**Environmental precautions:** 

### 7. HANDLING AND STORAGE

#### 7.1 Handling

Personal precautions:

Wear personal protective equipment (see section 8). Avoid contact with eyes, skin and clothing. Wash thoroughly after handling. Avoid breathing vapour. No smoking, open flames or sources of ignition in handling and storage area.

Technical measures/ Precautions:

Provide good ventilation (local exhaust) of the working area, safety showers and eye wash station near the workplace. Use explosion-proof electrical equipment. Use only non-sparking tools.

#### 7.2 Storage

**Technical measures Storage conditions:** 

Keep in the original container. Keep container tightly closed in a cool, dry, well-ventilated place. Keep product away from heat, sparks, flame and other sources of ignition and out of direct sunlight and away from incompatible materials. Store at room temperature and away from heat sources, strong oxidizers, radiation and other initiators.

Strong oxidizing agents, alkaline and aqueous acids.

# 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

### 8.1 Occupational exposure limits

#### 8.1.1 Control parameters

Incompatible products:

8 hours time weighted average exposure limits (TWA): Data not yet available.

#### 8.2 Exposure controls

#### 8.2.1 Technical measures:

Use only with adequate ventilation. Use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits. The engineering controls also need to keep gas, vapor or dust concentrations below any lower explosive limits. Use

Product name: CHINOX® S4P

Date of issue: Sep. 16, 2022 Version: 2 Page 3 of 7



In accordance with Regulation (EC) 1907/2006 (REACH), Annex II-Europe

explosion-proof ventilation equipment.

#### 8.2.2 Organisational measures:

Only personnel who have received appropriate training and are authorized allowed to handle the substance. Organize regular exposure monitoring to check that exposure levels of operators stay beyond exposure limit. Sampling and analysis should be carried out according to accepted methods.

#### 8.3 Personal protective equipment

Recommended: NIOSH-approved respirator with minimum APF 10

**Respiratory protection:** For emergency conditions, use an approved positive-pressure self-contained breathing apparatus. Use the following CE approved

air-purifying respirator: Organic vapor cartridge, type A (boiling point >65

°C).

When prolonged or frequently repeated contact may occur, a glove with a protection class of 5 or higher (breakthrough time greater than 240 minutes according to EN 374) is recommended. When only brief contact is

expected, a glove with a protection class of 1 or higher (breakthrough time

greater than 10 minutes according to EN 374) is recommended. After contamination with product change the gloves immediately and dispose

them off according to relevant national and local regulations.

**Eye protection:** Safety goggles should be consistent with EN 166 or equivalent.

**Skin and body protection:** Wear chemical-resistant protective clothing.

#### 8.4 Hygiene measures

Hand protection:

Keep away from foodstuffs, drinks and tobacco. Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

#### 8.5 Environmental exposure controls:

Procedural and/or control technologies are used to minimize emissions and the resulting exposure during cleaning and maintenance procedures.

Transfer waste gases to a combustion unit or to a powder separator.

Do not apply industrial sludge to natural soils. Sealing of all relevant soil surfaces in the facility.

#### 9. PHYSICAL AND CHEMICAL PROPERTIES

**Appearance:** White Crystalline powder

Odourless Odourless

Odour threshold: No data available pH: No data available

Melting/Freezing temperature:  $48-54^{\circ}$ C

Boiling point:

Flashpoint:

No data available

No data available

Evaporation rate:

No data available

No data available

No data available

Decomposition temperature:

No data available

No data available

Flammability:

No data available

Product name: CHINOX® S4P

Date of issue: Sep. 16, 2022 Version: 2 Page 4 of 7



In accordance with Regulation (EC) 1907/2006 (REACH), Annex II-Europe

Upper/lower flammability or explosive

limits:

No data available

Explosive properties:

Oxidizing properties:

No data available

Relative density:

No data available

Partition coefficient of n-octanol/water

(log Pow):

Specific gravity:

No data available

No data available

### 10. STABILITY AND REACTIVITY

Chemical Stability: Stable under normal conditions and recommended use.

Conditions to be avoided:

Static discharges. Keep product away from heat, sparks, flame

and other sources of ignition. Avoid direct sunlight and UV light.

Materials to be avoided: Strong oxidizing agents, alkaline and strong acids.

Hazardous polymerization Will not occur.

Hazardous decomposition products:

Thermal decomposition and burning may produce carbon oxides

and other toxic gases and vapors.

#### 11. TOXICOLOGICAL INFORMATION

Routes of exposure: Skin, inhalation, ingestion, eyes.

**ACUTE TOXICITY** 

Acute oral toxicity, LD<sub>50</sub>: >15000 mg/kg

Acute dermal toxicity, LD<sub>50</sub>: No data available
Acute inhalation toxicity, LC<sub>50</sub>: No data available

**LOCAL EFFECTS** 

Skin irritation:No data availableEye irritation:No data availableSkin sensitization:No data available

**OTHER** 

Repeated dose toxicity: LOAEL=100 mg/kg-bw/day (based on histopathological changes in

the heart in males and females and increased AST levels in males)

Mutagenicity:

Not mutagenic in bacterial assays and did not induce chromosomal

aberrations in mammalian cells in vitro.

**Reproductive toxicity:** NOAEL (reproductive toxicity) = 1000 mg/kg-bw/day

Carcinogenicity: No data available

### 12. ECOLOGICAL INFORMATION

#### **ACUTE TOXICITY**

LC<sub>50</sub>-Fish-96h: No data available

Product name: CHINOX® S4P

Date of issue: Sep. 16, 2022 Version: 2 Page 5 of 7



In accordance with Regulation (EC) 1907/2006 (REACH), Annex II-Europe

EC<sub>50</sub>-Algae-72h: No data available IC50-Bacteria-3h: No data available EC<sub>50</sub>-Invertebrate-48h: No data available

**OTHER** 

**Biodegradation:** 4% after 28 days-Not readily biodegradable

No data available Bioaccumulation Inhibition of microbial activity: No data available **Adsorption coefficient:** No data available Results of PBT and vPvB assessment: No data available

### 13. DISPOSAL CONSIDERATIONS

Waste from residues:

Any disposal practices must in compliance with all national and provincial laws and any municipal or local by-laws governing

hazardous waste. For used, contaminated and residual materials

additional evaluations may be required. Do not dump into any

sewers, on the ground, or into any body of water.

Containers should be cleaned by appropriate method and then re-used or disposed by landfill or incineration as appropriate, in Container: accordance with local and national regulations. Do not remove

label until container is thoroughly cleaned.

#### 14. TRANSPORT INFORMATION

United nations number (UN No.): Not classified as hazard transport goods.

Transport hazardous class: Not classified as hazard transport goods.

**UN Proper shipping name:** Not classified as hazard transport goods.

Marine pollutant (YES/NO): Not classified as hazard transport goods.

ADR/RID: Not classified as hazard transport goods.

Not classified as hazard transport goods. IATA/ICAO: Not classified as hazard transport goods.

Specific transport measures and

Not classified as hazard transport goods. precautionary conditions:

#### 15. REGULATORY INFORMATION

**HMIS Classification** 

IMDG/IMO:

Health Hazard: 1 Personal Protection: F Flammability:1 Physical Hazards: 0

**NFPA Classification** 

Health Hazard: 1 Flammability: 1 Instability: 0

Chemical Inventories

Australia - AICS Canada - DSL China - IECSC Korea - ECL

Product name: CHINOX® S4P

Version: 2 Date of issue: Sep. 16, 2022 Page 6 of 7



In accordance with Regulation (EC) 1907/2006 (REACH), Annex II-Europe

USA - TSCA

Philippines – PICCS

Japan – ENCS No.: 2-1391 EU – EINECS No.: 249-720-9

16. OTHER INFORMATION				
Shelf life	2 years			
Reference documents	European Chemicals Agency (ECHA)			
SDS prepared by	Company name	DOUBLE BOND CHEMICAL IND. CO., LTD.		
	Address	4F, 959, JUNGJENG RD., JUNGHE DISTRICT, NEW TAIL CITY, 23544 TAIWAN, R.O.C		
	TEL. / FAX.	+886-2-82281168 / +886-2-82281818		
	Title / Name (signature)	Technical Data Administrator / Janice Sung		

The data given here is based on current knowledge and experience. The purpose of this Safety Data Sheet is to describe the products in terms of their safety requirements. The above details do not imply any guarantee concerning composition, properties or performance.



Product name: CHINOX® S4P Date of issue: Sep. 16, 2022